



AF/IFW

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent Application of  
THOMASSET

Atty. Ref.: DMB-2590-166

Serial No. 10/591,126

TC/A.U.: 1794

Filed: August 30, 2006

Examiner: Erik Kashnikow

For: MULTILAYER DOSE HAVING A CONCAVE SURFACE

\* \* \* \* \*

April 15, 2010

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**INFORMATION DISCLOSURE STATEMENT**

Sir:

The applicant advises the USPTO that it filed the following pending U.S. applications on  
about the same date:

<u>N&amp;V Ref. No.</u>	<u>U.S. Appln. Serial No.</u>
2590-163	10/590,201
2590-164	10/591,117
2590-165	10/591,116
2590-166	10/591,126
2590-167	10/591,127

Office Actions have recently issued in four of these five cases. A summary of the Office

Actions are set forth below:

U.S. Patent Application 10/590,201 (2590-163)

Office Action 11/24/2009

U.S. Patent Application 10/591,117 (2590-164)

Office Action 02/05/2010

U.S. Patent Application 10/591,126 (2590-166)

Office Action 02/04/2010

U.S. Patent Application 10/591,127 (2590-167)

Office Action 12/03/2009

Copies of the foregoing communications are attached. Also, the attached form identifies the reference(s) cited therein.

The Commissioner is hereby authorized to charge any deficiency, or credit any overpayment, in the fee(s) filed, or asserted to be filed, or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Account No. 14-1140.

Respectfully submitted,

**NIXON & VANDERHYE P.C.**

By: \_\_\_\_\_



Duane M. Byers  
Reg. No. 33,363

DMB:lfo  
901 North Glebe Road, 11th Floor  
Arlington, VA 22203-1808  
Telephone: (703) 816-4000  
Facsimile: (703) 816-4100